

DESCRIPTION:

This non-caustic compound is designed for use in enclosed high pressure spray cabinet systems. This compound rapidly removes dirt, grease, oil and varnish from transmission casings and other parts when used as directed. The high alkaline intensity and buffered wetting agents remain strong and stable under high temperatures for long periods of time. This is a dustless compound which when added to water forms an odorless lasting non-sludging solution.

DIRECTIONS:

ENCLOSED HIGH PRESSURE SYSTEMS: Recommended concentrations for enclosed high pressure systems range from 1/2 to 2 oz./gal. depending upon the soil, at 135 degrees to 170 degrees F.

NOTICE:

All detergents used in the manufacturing of this product are certified to be biodegradable. This is an industrial strength cleaning compound designed for use by trained institutional professionals. Label directions and precautions must be followed exactly. The manufacturer will not be responsible for any injury, loss or damage, if product is used in any manner not in compliance with label directions or if precautions are not observed.



ALUMINUM WASH™

Spray Cabinet Cleaner

ALUMINUM SAFE FORMULA

CAUTION:

**KEEP OUT OF REACH OF CHILDREN.
FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY.**

(SEE RIGHT PANEL FOR ADDITIONAL CAUTIONS AND FIRST AID STATEMENTS.)

To Reorder:
WECHEM, INC.

5734 Susitna Drive Harahan, LA 70123
LOCAL: (504) 733-1152 USA TOLL FREE: 1-800-426-0512

FAX: (504) 733-2218 * www.wechem.com

WARNING:

Contains high concentrations of Sodium Metasilicate which will cause burns upon contact. Harmful if swallowed. Causes skin and eye irritation. Do not get on skin or in eyes. Avoid contamination of food.

FIRST AID:

EYES: Flush with water for 15 minutes. Seek medical attention.

SKIN: Wash with soap and water. If irritated seek medical attention.

INGESTION: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention.


INHALATION: Remove to fresh air. Resuscitate if necessary. Get medical attention.

CONTAINS:	CAS #:
Sodium Metasilicate	6834-92-0
Sodium Phosphate, Tribasic	7601-54-9

NFPA

Health

Specific
Hazard



HAZARD RATING:

4-EXTREME
3-HIGH
2-MODERATE
1-SLIGHT