

A clear coating and cleaner tested safe according to military specifications on Plexiglas®, Acrylic, Lexan®, Polycarbonate, Chrome, Formica®, Fiberglass, Marble, Stainless Steel and all glass. Improves visual clarity. Repels dust, dirt, chemicals, salt, finger smudges and scratches. Reduces wear and scratching. Non-abrasive, contains no wax.

DIRECTIONS:

SHAKE WELL BEFORE USING. Offers a unique 360° valve which allows spraying in upright or inverted position. Shake well. Spray from a distance of 6 to 8 inches. If surface is dirty, use first spraying for cleaning, then respray. Wipe with a lint-free wiper, then polish and buff. Extra coats will give extra protection Not Recommended for Outside Windshields.

NOTE:

Protect floors from overspray to prevent slippery conditions.

**WECHEM®**

Engineered Chemistries
SUPERIOR SOLUTIONS

TM

CLEAR VIEW

**Glass & Plastic
Protective
Coating**

- **CLEAR**
- **ANTI-FOG**
- **ANTI-STATIC**

NET WT. 14 OZ. (396 Grams)

CAUTION:

CONTENTS UNDER PRESSURE.
SEE OTHER CAUTIONS ON SIDE PANEL.

CAUTION:

Do not expose to heat or store at temperatures above 120°F. Do not spray on food or feedstuffs.

FIRST AID:

IF EYE CONTACT: Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If irritation persists get medical attention immediately. **IF SKIN CONTACT:** Wash with soap and water. If irritation persists seek medical attention. **EXCESSIVE INHALATION:** Remove to fresh air. Seek medical attention immediately. If breathing stops give artificial respiration. **IF INGESTED:** Do not induce vomiting. Seek medical attention immediately.

KEEP OUT OF REACH OF CHILDREN

CONTAINS:	CAS#
Isopropyl Alcohol.....	67-63-0
Liquefied Petroleum Gas	68476-86-8

NFPA**HAZARD RATING:**

PROPER SHIPPING NAME:
Consumer Commodity, ORM-D

READ MATERIAL SAFETY DATA SHEET BEFORE USE



Engineered Chemistries
SUPERIOR SOLUTIONS

WECHEM, INC.

5734 Susitna Dr. Harahan, LA 70123
504.733.1152 • 1.800.426.0512
FAX 504.733.2218 • www.wechem.com