

EZY PAK Sanitizer™

ACTIVE INGREDIENTS

| | |
|--|-------|
| Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₀) dimethyl benzyl ammonium chlorides..... | 20.0% |
| Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides..... | 20.0% |
| INERT INGREDIENTS..... | 60.0% |

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See right panel for additional precautionary statements.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

EZY PAK SANITIZER™ is designed specifically for use in restaurants, dairies, and bars where sanitization of food contact surfaces is of prime importance.

This product will sanitize previously cleaned and rinsed non-porous food contact surfaces such as tanks, counter tops, drinking glasses and eating utensils. When used at the recommended concentration of 200-400 ppm, no potable water rinse is required.

When used as directed, this product is an effective sanitizer against *Escherichia coli* ATCC 11229, *Staphylococcus aureus* ATCC 6538, *Campylobacter jejuni* ATCC 29428, *Escherichia coli* O157:H7 ATCC 43895, *Listeria monocytogenes* ATCC 35152, *Yersinia enterocolitica* ATCC 23715 when diluted in water up to 650 ppm hardness (CaCO₃).

SANITIZATION - Remove all gross food particles and soil from areas which are to be sanitized with a good detergent, pre-flush, pre-soak, or pre-scrape treatment. Rinse with a potable water rinse. To sanitize pre-cleaned and potable water-rinsed, non-porous, food contact surfaces, prepare a 200-400 ppm active quaternary solution by using the following dilution table:

| In order to make X gallons of Solution | Add Net Weight of Product | |
|--|---------------------------|-------------|
| | in Ounces | or in Grams |
| 1 | 0.0625 - 0.125 | 1.8 - 3.6 |
| 2 | 0.125 - 0.25 | 3.5 - 7.0 |
| 3 | 0.1875 - 0.375 | 5.3 - 10.6 |
| 5 | 0.3125 - 0.625 | 8.9 - 17.8 |
| 10 | 0.625 - 1.25 | 17.7 - 35.4 |
| 20 | 1.25 - 2.5 | 35.4 - 70.8 |

To sanitize immobile items such as tanks and counter tops, apply sufficient use-solution by low pressure coarse sprayer, hand pump trigger sprayer, mop, sponge or cloth to flood the area with a 200-400 ppm active quaternary solution for at least 60 seconds making sure to wet all surfaces completely. Drain the use-solution from the surface and air dry. Prepare a fresh use-solution daily or more frequently as soil is apparent.

To sanitize mobile items such as drinking glasses and eating utensils, immerse in a 200-400 ppm active quaternary solution for at least 60 seconds making sure to immerse completely. Remove, drain the use-solution from the surface and air dry. Prepare a fresh use-solution daily or more frequently as soil is apparent.

EPA Reg. No. 1839-142-34370 · EPA Est. No. 64178-CN-001

Made in Canada

Net Contents: 80 x 1.25 oz. pouches

4/11

When used for sanitization of previously cleaned food equipment or food contact items, limit the active quaternary to 200-400 ppm. **NO POTABLE WATER RINSE IS ALLOWED. EZY PAK SANITIZER™** is an effective sanitizer when diluted in water up to 650 ppm hardness (CaCO₃).

To sanitize previously cleaned food-grade eggs in shell egg and egg product processing plants, spray with a solution of warm water at 200-400 ppm quat (see Dilution Table left panel). The use-solution should be warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs sanitized with this use-solution shall be subjected to a potable water rinse only if they are broken immediately for use in the manufacture of egg products. Eggs should be reasonably dry before casing or breaking. The use-solution should not be reused for sanitizing eggs.

PACKETS: Follow label instructions by dropping packet directly into water. Do not remove packets before use.

DIRECTIONS FOR SANITIZING FOOD PROCESSING EQUIPMENT, UTENSILS, AND FOOD CONTACT ARTICLES REGULATED BY 40CFR180.940.

1. Scrape, flush or pre-soak articles (whether mobile or stationary) to remove gross food particles and soil.
2. Thoroughly wash articles with an appropriate detergent or cleaner.
3. Rinse articles thoroughly with potable water.
4. Sanitize articles using a solution of 0.3125 - 0.625 ounce of **EZY PAK SANITIZER™** per 5 gallons of water (or equivalent dilution) (200-400 ppm active quaternary). Articles that can be immersed in use-solution should remain in solution for 60 seconds. Articles too large for immersion should be thoroughly wetted by rinsing, spraying or swabbing.
5. Remove immersed items from use-solution to drain and then air dry. Non-immersed items should also be allowed to air dry.

U.S. PUBLIC HEALTH SERVICE - FOOD SERVICE SANITIZATION RECOMMENDATIONS CLEANING AND SANITIZING:

Equipment and utensils shall be thoroughly pre-flushed or pre-scraped, and when necessary, pre-soaked to remove gross food particles and soil.

1. Thoroughly wash equipment and utensils in a hot detergent solution. Rinse utensils and equipment thoroughly with potable water.
2. Sanitize equipment and utensils by immersing in 0.3125 - 0.625 ounce of **EZY PAK SANITIZER™** per 5 gallons (or equivalent dilution) of water (200-400 ppm active quaternary) for at least 60 seconds at a temperature of 75°F. This dilution is equivalent to a solution containing 50 ppm available chlorine.
3. Allow sanitized surfaces to drain and air dry. Do not rinse.
4. For equipment and utensils too large to sanitize by immersion, apply 0.3125 - 0.625 ounce of **EZY PAK SANITIZER™** per 5 gallons of water (or equivalent dilution) (200-400 ppm active quaternary) by rinsing, spraying or swabbing. Allow the items to remain thoroughly wet for at least 60 seconds, then let air dry. Do not rinse.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER. KEEP OUT OF REACH OF CHILDREN. **CORROSIVE.** Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves, and protective clothing. May be fatal if swallowed. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F. Store in a tightly closed container in an area inaccessible to children. Store in a cool dry place. Do not handle packets with wet hands.

CONTAINER DISPOSAL - Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying.

TRIPLE RINSE AS FOLLOWS: Fill container 1/4 full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Then offer for recycling or reconditioning. It not available, puncture and dispose in a sanitary landfill.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.



Engineered Chemistries
SUPERIOR SOLUTIONS

Sold By: **WECHEM, INC.**

5734 Susitna Dr. Harahan, LA 70123

504.733.1152 1.800.426.0512

FAX 504.733.2218 www.wechem.com

