

### DIRECTIONS FOR GENERAL USE

Prepare work area before using this product by having the following items close at hand: a deep dish pan or plastic bucket to place upside down over drain opening, baking soda to neutralize accidental spills and cold water to flush any areas of accidental skin contact. Always wear rubber gloves and a face shield or protective goggles when handling this product. Remove all excess water from sink, toilet or drain, then add required amount of **Liquid Snake**. Wait 15 minutes, then flush with cold water. Always pour slowly and at arm's length and **NEVER** place head over drain opening. **AFTER POURING ACID INTO DRAIN, IMMEDIATELY PLACE INVERTED DISH PAN, PLASTIC BUCKET, OR OTHER DEEP CONTAINER OVER DRAIN OPENING TO PROTECT AGAINST POSSIBLE ERUPTION OF DRAIN CONTENTS AND ACID.**

Properly used, this product will not adversely affect septic tanks, drain fields, etc. It will quickly dissolve all organic blockages; such as grease, rags, soap, bone scraps, coffee grounds and paper. Regular use in drains as a preventative maintenance procedure will keep drains clean and free flowing.

**DO NOT purchase or use this product unless you read, understand and agree to follow all warnings and directions on this container.**

**THIS PRODUCT IS SOLD EXCLUSIVE OF ALL WARRANTIES, EXPRESSED, IMPLIED, STATUTORY, OR OTHERWISE, INCLUDING WARRANTY OF MERCHANTABILITY. USER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING.**

FIXTURE	USE
Toilet (Pour through hose over trap)	16 Fl. oz.
Small Drain	10 Fl. oz.
Floor Drain	28 Fl. oz.
6-10" Pipes	1/2 gal.

NET CONTENTS: ONE QUART



# LIQUID SNAKE™

## Sulfuric Acid Based DRAIN OPENER

### DANGER: POISON

**Causes severe burns: Contains concentrated sulfuric acid. Deadly fumes may be produced during use. Read all label directions and cautions carefully before using this product. Intended for use by qualified maintenance personnel only.**

**KEEP OUT OF REACH OF CHILDREN.  
FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY.**

(SEE RIGHT PANEL FOR ADDITIONAL CAUTIONS AND FIRST AID STATEMENTS.)

To Reorder:  
**WECHEM, INC.**

5734 Susitna Drive Harahan, LA 70123  
LOCAL: (504) 733-1152 USA TOLL FREE: 1-800-426-0512  
FAX: (504) 733-2218

11/94

### WARNINGS & FIRST AID

Contains concentrated sulfuric acid which can cause severe burns. Avoid any contact with skin, eyes, nose, lungs, or clothing. Use only where clear water is available for flushing skin or eyes in case of contact. **DO NOT TAKE INTERNALLY!** Keep bottle upright at all times. To open, do not squeeze bottle, place bottle on a firm surface, carefully press down on safety cap while turning cap counterclockwise. **DO NOT DROP BOTTLE.**

**DANGER: DEADLY TOXIC FUMES MAY BE GENERATED WHEN USING THIS PRODUCT. USE ONLY WITH VENTILATION. DO NOT INHALE FUMES. INHALATION OF SUCH FUMES MAY BE FATAL OR CAUSE DELAYED LUNG INJURY. IF STRONG ODOR IS EVIDENT, LEAVE ROOM IMMEDIATELY AND MOVE TO FRESH AIR. NEVER COMBINE WITH ANY OTHER DRAIN CLEANERS, OR OTHER PRODUCTS OR CHEMICALS, OR IF ANY OTHER PRODUCTS OR CHEMICALS HAVE BEEN USED PREVIOUSLY IN DRAIN BECAUSE FATAL OR HARMFUL FUMES MAY BE PRODUCED.**

**ALWAYS USE WITH COLD WATER: CONTACT WITH HOT WATER WILL CAUSE VIOLENT REACTION. NEVER USE ON ALUMINUM, PORCELAIN, OR STAINLESS STEEL. NEVER USE IN GARBAGE DISPOSALS OR RUSTED OR LEAKING PIPES. NEVER USE A PLUNGER OR RODDING DEVICE AFTER ADDING ACID TO DRAIN.**

Never add water to acid while in container because violent reaction may result. When container is **EMPTY**, rinse with water, then puncture to avoid accidental burns. Not recommended for use in bath tubs since some porcelain surfaces may be damaged. If liquid bubbles back into sink, dilute immediately with cold water. Worn sink drains may leak after cleaning. Protect floor by using catch pails **NOTE:** spills and leaks should be neutralized before clean-up with baking soda. Store in a cool, dry place in an upright position.

**FIRST AID: EXTERNAL:** Flush affected area with clear water for 15 minutes. If irritation persists, contact a physician. **EYES:** Flush with water for 15 minutes, cover eyes with a soft cloth, and seek immediate medical attention. **INHALATION:** Move to fresh air **IMMEDIATELY.** Give artificial respiration or CPR if needed. Obtain medical attention **IMMEDIATELY.** **INTERNAL:** Drink large quantities of water or milk, followed by milk of magnesia, beaten eggs, or vegetable oil. Call a Physician, Emergency Room, or Poison Control Center **IMMEDIATELY.**

<b>NFPA</b> 	<b>HAZARD RATING:</b>	<b>DOT NAME:</b>
	4-EXTREME 3-HIGH 2-MODERATE 1-SLIGHT	Sulfuric Acid, 8,UN 1830, PG II
<b>Health Hazard</b> <b>Specific Hazard</b>	<b>Reactivity Hazard</b>	<b>CONTAINS:</b> Sulfuric Acid
		<b>CAS #:</b> 7664-93-9