

DESCRIPTION:


Wheel Luster is an advanced detergent system specifically designed to remove road film, brake dust and other metallic contaminants from tires and rims. **Wheel Luster** also excels in cleaning and brightening white walls and raised white letters. **Wheel Luster** is a fast acting, high foaming, super concentrated formula for use in prep areas and CTA units. This cleaner may be applied as a low pressure spray or in conjunction with air injected foaming CTA equipment.

DIRECTIONS:

Wheel Luster should be diluted prior to use. Actual dilution will vary on the type of equipment being used and the degree of soil to be removed. Typically dilutions range from 1 part **Wheel Luster** to between 10 to 25 parts water. Apply solution directly to wheel and tire surface and allow upwards of 30 seconds contact time. Rinse thoroughly with water.

NOTE: **Wheel Luster** contains aggressive alkaline material and should not be used undiluted. Use caution when applying **Wheel Luster** to aluminum and/or magnesium metal wheels/spokes, as damage may occur. Avoid contact with painted surfaces of car or truck. In the event of contact or tunnel stoppage rinse product from the surface immediately.

UNIT OF MEASURE: U.S. GALLONS



WHEEL LUSTER™

*Non -Acid
Wheel & Tire Cleaner/
Brake Dust Solvent*

**CAUTION:
KEEP OUT OF REACH OF CHILDREN.
FOR INDUSTRIAL AND
INSTITUTIONAL USE ONLY.
(SEE RIGHT PANEL FOR ADDITIONAL
CAUTIONS AND FIRST AID STATEMENTS.)**

To Reorder:
WECHEM, INC.
5734 Susitna Drive Harahan, LA 70123
(504) 733-1152 * 1-800-426-0512
FAX: (504) 733-2218 * www.wechem.com

3/03

DANGER:

CAUSES SEVERE BURNS. Harmful if swallowed or absorbed through the skin. Contact can cause severe irritation or skin burns and blindness by tissue corrosion. DO NOT allow product to contact skin, eyes, or clothing. **DO NOT** breathe vapors or spray mist. **DO NOT** swallow the material.

FIRST AID:

EYES: Flush with water for 15 minutes. Seek medical attention.

SKIN: Wash with soap and water. If irritated, seek medical attention.

INHALATION: Remove to fresh air. Resuscitate if necessary. Get medical attention.

INGESTION: **DO NOT INDUCE VOMITING.** Drink two large glasses of water. Get immediate medical attention.

CONTAINS:		CAS #:	
Sodium Hydroxide		1310-73-2	
Ethylene Glycol Monobutyl Ether		111-76-2	
NFPA		HAZARD RATING:	
Health	1	Fire Hazard	4-EXTREME
Specific Hazard	2	Reactivity Hazard	3-HIGH
			2-MODERATE
			1-SLIGHT
Proper Shipping Name: Compounds, Cleaning Liquid, (Sodium Hydroxide), 8, NA 1760, PGII			

READ MATERIAL SAFETY DATA SHEET BEFORE USE