



Accelerator

MSDS Number: L15B.

Revision Date: 05/24/07

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Distributed By: Wechem, Inc
5734 Susitna Dr

Harahan, LA 70123

Contact: Charito Kuylen
Telephone Number: 504-733-1152
FAX Number: 504-733-2218
E-Mail:
Web www.wechem.com

Product Name: Accelerator
Revision Date: 05/24/07
MSDS Number: L15B.
Product Code: L15

2 HAZARDS IDENTIFICATION

Route of Entry: Inhalation, skin absorption, eye
Target Organs:
Inhalation: Excessive inhalation of vapors can cause headache, nausea, incoordination, and drowsiness.
Skin Contact: Causes irritation, may cause chemical burn.
Eye Contact: Causes irritation, may cause chemical burn.
Ingestion: Causes irritation, nausea, vomiting, and diarrhea. May cause systemic poisoning.

HMIS II-ratings (scale 0-4): Health = 2, Fire = 3, Reactivity = 0
HMIS III-ratings (scale 0-4): Health = 2, Fire = 3, Physical Hazard = 1
NFPA-ratings (scale 0-4): Health = 2, Fire = 3, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Perc.	Chemical Name	OSHA PEL (ppm)	ACGIH TLV(ppm)	Carcin. Ref.
78922	15-25	2-Butanol	150	100	D
1319773	< 5	Cresol	5	5	D
64742536	65-80	Petroleum Oil	5MG/M3	5MG/M3	D
108941	< 5	Cyclohexanone	50	20	B



Accelerator

MSDS Number: L15B.

Revision Date: 05/24/07

Page 2 of 4

4 FIRST AID MEASURES

Inhalation: Remove to fresh air.
Skin Contact: Remove contaminated clothing. Wash with soap and water.
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion: Do not induce vomiting. Drink 3-4 large glasses of water. Get immediate medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: (Conc) : 83 Deg. F
Flash Point Method: TCC
Burning Rate: ND
Autoignition Temperature: ND
LEL: ND
UEL: ND
Flammability Classification: (Conc): Flammable Liquid

Extinguishing media: Foam, dry chemical, carbon dioxide, waterfog

Special Fire fighting procedures: Use self-contained breathing apparatus and protective clothing. Cool fire-exposed containers to prevent rupturing.

Unusual Fire & Explosion Hazard: Slight when exposed to heat or flame. Combustible at high temperatures.

6 ACCIDENTAL RELEASE MEASURES

Stop flow, dike spill, eliminate all ignition sources, absorb on inert material and scrape up.

7 HANDLING AND STORAGE

Handling Precautions: Avoid prolonged exposures to mist and vapors. Avoid flames, sparks, and hot surfaces. Keep container closed.
Storage Requirements: Keep container tightly closed when not in use. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: None required in excess to normal ventilation.
Protective Equipment: HMIS PP, B | Goggles, Gloves
Respiratory Protection: NIOSH/MSHA Self-contained breathing apparatus in confined areas.
Protective gloves: Neoprene or plastic
Eye protection: Safety glasses or splash goggles
Exposure Guidelines/Other: Hygienic work practices: Do not work in oil soaked clothing. Wash after handling.



Accelerator

MSDS Number: L15B.

Revision Date: 05/24/07

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear red liquid	Boiling Point:	120 Deg. F
Physical State:	Liquid	Freezing/Melting Pt.:	NA
Odor:	Characteristic	Solubility:	Negligible
pH:	NA	Spec Grav./Density:	0.89
Vapor Pressure:	NA		
Vapor Density:	(Air+1): 4		
Heat Value:	NA		
VOC:	NA		
Evap. Rate:	(BUAC=1) : 2		
Bulk Density:	NA		
Octanol:	NA		
Molecular Weight:	NA		
Particle Size:	NA		
Softening Point:	NA		
Viscosity:	NA		
Percent Volatile:	NA		
Sat. Vap. Concentrat.:	NA		
Molecular Formula:	NA		

10 STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	Oxidizing atmospheres, heat, flames, sparks.
Materials to avoid (incompatibility):	Strong oxidizers
Hazardous Decomposition products:	Oxides of carbon
Hazardous Polymerization:	Will not occur

11 TOXICOLOGICAL INFORMATION

NA

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Dispose of according to local, state or federal regulations.



Accelerator

MSDS Number: L15B.

Revision Date: 05/24/07

Page 4 of 4

14 TRANSPORT INFORMATION

Proper Shipping Name: Flammable Liquids, NOS (Butyl Hydrate), 3, NA 1993, PG III

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*2-Butanol (78922 15-25%) MASS, NJHS, OSHAWAC, PA, SARA313, TXAIR

*Cresol (1319773 <5%) CERCLA, CSWHS, EPCRAWPC, HAP, HWRCRA, MASS, NJHS, OSHAWAC, PA, SARA313, TOXICRCRA, TXAIR, TXHWL

*Distillates, petroleum, hydrotreated light naphthenic (64742536 65-80%) MASS, NJHS

*Cyclohexanone (108941 <5%) CERCLA, HAP, MASS, OSHAWAC, PA, TOXICRCRA, TXAIR, TXHWL

REGULATORY KEY DESCRIPTIONS

- MASS = MA Massachusetts Hazardous Substances List
- NJHS = NJ Right-to-Know Hazardous Substances
- OSHA = OSHA workplace Air Contaminants
- PA = PA Right-To-Know List of Hazardous Substances
- SARA313 = SARA 313 Title III Toxic Chemicals
- TXAIR = TX Air Contaminants with Health Effects Screening Level
- CERCLA = Superfund clean up substance
- CSWHS = Clean water Act Hazardous substances
- EPCRAWPC = EPCRA Water Priority Chemicals
- HAP = Hazardous Air Pollutants
- HWRCRA = RCRA Hazardous Wastes
- TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)
- TXHWL = TX Hazardous waste List

16 OTHER INFORMATION

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as carcinogen or potential carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal Data only
N/A = Not Available N/D = Not determined

END OF MSDS DOCUMENT