

Babe

MSDS Number: A270G

Revision Date: 10/10/11

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Distributed By: Wechem, Inc
5734 Susitna Dr
Harahan, LA 70123


Contact: Charito Kuylen
Phone: 504-733-1152
Fax: 504-733-2218
Web: www.wechem.com

Product Name: Babe
Revision Date: 10/10/11
MSDS Number: A270G
Product Code: A270

2 HAZARDS IDENTIFICATION

Route of Entry: Inhalation, Eye, Skin
Inhalation: Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Prolonged inhalation may be harmful and can cause discomfort in the chest and delayed lung damage.
Skin: Prolonged or repeated contact can result in defatting and drying of skin which may result in irritation and dermatitis.
Eye: Contact may cause severe eye irritation. Prolonged overexposure to vapors may cause moderate irritation.
Ingestion: Though exposure by ingestion is unlikely, components of the product may be absorbed into the body if ingested. In sufficient quantities, absorbed components may have toxic effect. Aspiration of material into lungs may cause lung damage.

NFPA: Health = 1, Fire = 4, Reactivity = 0
HMIS III: H*1/F4/PH0



PERSONAL PROTECTION INDEX			
A		G	
B		H	
C		I	
D		J	
E		K	
F		X	Consult your supervisor or S.O.P. for "SPECIAL" handling directions
A		n	
t		o	
u		p	
w		q	
y		r	
z		s	
Additional Information			

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Babe

MSDS Number: A270G

Revision Date: 10/10/11

Page 2 of 4

Cas #	Perc.	Chemical Name	OSHA PEL (ppm)	ACGIH TLV(ppm)	Carcin. Ref.
67641	60-70	Acetone	1000	500	D
68476868	25-35	Liquefied Petroleum Gas	1000	1000	D

4

FIRST AID MEASURES

Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.
Skin Contact: Wash with soap and water. If irritated, seek medical attention.
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion: Do not induce vomiting. Get immediate medical attention.

5

FIRE FIGHTING MEASURES

Flammability: (as per CSMA Flame Projection Test): Flammable Spray
Flash Point: - 156 Deg. F. (propellant)
Flash Point Method: T O C
Burning Rate: ND
Autoignition Temp: ND
LEL: ND
UEL: ND

Extinguishing media: Foam, dry chemical, carbon dioxide, water

Special Fire fighting procedures: Wear self-contained breathing apparatus and protective clothing. Cool containers to prevent rupturing.

Unusual Fire & Explosion Hazard: Exposure to temperatures above 120 Deg. F. may cause bursting.

6

ACCIDENTAL RELEASE MEASURES

Allow propellant to evaporate. Absorb with suitable medium. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame far away from spill or leak. Wash area to prevent slipping

7

HANDLING AND STORAGE

Handling Precautions: Store in a cool, dry area away from heat, sparks, flame, or any other sources of ignition.
Storage Requirements: Store in a cool, dry area away from heat, sparks, flame, or any other sources of ignition. Keep out of reach of children. For industrial and institutional use only.

Babe

MSDS Number: A270G

Revision Date: 10/10/11

Page 3 of 4

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: None needed for proper use in accordance with label directions. Use appropriate certified respirators when concentrations reach above exposure limits.

Personal Protective Equip: HMIS PP, A | Goggles
HMIS PP, B | Goggles, Gloves
Respiratory Protection: None needed for proper use in accordance with label directions.
Protective gloves: None needed for proper use in accordance with label directions.
Eye protection: Safety glasses or chemical proof goggles

Hygienic work practices: Wash with soap and water before handling food.

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	(Conc): Clear, colorless liquid	Odor:	Characteristic
Physical State:	Liquid	Molecular Formula:	NA
Particle Size:	NA	Solubility:	Partial
Spec Grav./Density:	0.6944 @ (estimated)	Softening Point:	NA
Sat. Vap. Concentrat.:	NA	Percent Volatile:	NA
Boiling Point:	77 Deg. F. (estimated)	Heat Value:	NA
Vapor Pressure:	(can: psig@70 Deg F): 50 - 60	Freezing/Melting Pt.:	NA
pH:	NA	Octanol:	NA
Evap. Rate:	NA	Vapor Density:	> 1
Molecular weight:	NA	VOC:	<= 30%
		Bulk Density:	NA

10

STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: Contact with incompatible materials and heat

Materials to Avoid: Strong oxidizers, heat, flame and sparks

Hazardous Decomposition: Carbon dioxide, carbon monoxide

Hazardous Polymerization: Will not occur

11

TOXICOLOGICAL INFORMATION

NA

12

ECOLOGICAL INFORMATION

NA

Babe

MSDS Number: A270G

Revision Date: 10/10/11

Page 4 of 4

13 DISPOSAL CONSIDERATIONS

Dispose of according to local, state, or federal regulations.

14 TRANSPORT INFORMATION

Proper Shipping Name: Consumer Commodity, ORM-D

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Propane/ Isobutane (68476868 25-35%) TSCA

*Acetone (67641 60-70%) CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, TOXICRCRA, TSCA, TXAIR, TXHWL

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance
HAP = Hazardous Air Pollutants
MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
OSHA = OSHA workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)
TXAIR = TX Air Contaminants with Health Effects Screening Level
TXHWL = TX Hazardous Waste List

TSCA = Toxic Substances Control Act

16 OTHER INFORMATION

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as carcinogen or potential carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal Data only
N/A = Not available N/D = Not determined