



Choke and Carb

MSDS Number: A45E

Revision Date: 05/17/10

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Wechem, Inc
5734 Susitna Dr

Harahan, LA 70123

Contact: Charito Kuylen
Telephone Number: 504-733-1152
FAX Number: 504-733-2218
E-Mail:
Web www.wechem.com

Product Name: Choke and Carb
Revision Date: 05/17/10
MSDS Number: A45E
Product Code: A45

2 HAZARDS IDENTIFICATION

Route of Entry: Ingestion, skin absorption, eye
Target Organs: NA
Inhalation: Inhalation of mist can cause irritation of nasal and respiratory passages. Abusive or excessive inhalation may cause irritation to upper respiratory tract. Dizziness, nausea, and other central nervous system effects.
Skin Contact: Prolonged contact may cause irritation.
Eye Contact: May cause slight irritation but does not injure eye tissue
Ingestion: Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea. Aspiration into the lungs can cause chemical pneumonitis.

HMIS II-ratings (scale 0-4): Health = 2, Fire = 3, Reactivity = 0

HMIS III-ratings (scale 0-4): Health = 2, Fire = 3, Physical Hazard = 1

NFPA-ratings (scale 0-4): Health = 2, Fire = 3, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

| Cas # | Perc. | Chemical Name | OSHA PEL (ppm) | ACGIH TLV (PPM) | Carcin. Ref. |
|--------|-------|---------------------------|----------------|-----------------|--------------|
| 108883 | 22-32 | Toluene | 100 | 20 | D |
| 67561 | 15-25 | Methanol | 200 | 200 | C |
| 67641 | 45-55 | Acetone | 1000 | 500 | D |
| 77769 | 1-5 | Dimethoxypropane | NA | NA | D |
| 124389 | 1-10 | Carbon Dioxide Propellant | 5000 | 5000 | D |



Choke and Carb

MSDS Number: A45E

Revision Date: 05/17/10

Page 2 of 4

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Resuscitate if necessary. Seek medical attention.
Skin Contact: Wash with soap and water. If irritated seek medical attention.
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion: Do not induce vomiting. Get medical attention immediately.

5 FIRE FIGHTING MEASURES

Flash Point: (Conc): <0 Deg. F.
Flash Point Method: TCC
Burning Rate: ND
Autoignition Temperature: ND
LEL: ND
UEL: ND
Flammability Classification: Extremely Flammable Spray

Extinguishing media: Foam, dry chemical, carbon dioxide

Special Fire fighting procedures: Use self-contained breathing apparatus and protective clothing if needed.

Unusual Fire & Explosion Hazards: Exposure to temperature above 120 Deg. F. may cause bursting.

6 ACCIDENTAL RELEASE MEASURES

Allow propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Dispose of soaked absorbent material in accordance with federal, state, and local laws.

7 HANDLING AND STORAGE

Handling Precautions: No smoking. Handle all containers carefully.
Storage Requirements: No smoking. Handle all containers carefully. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: Adequate ventilation to keep vapor concentration below TLV.
Protective Equipment: HMIS PP, B | Goggles, Gloves
Respiratory Protection: None needed in accordance to label directions.
Protective gloves: Chemical resistant
Eye protection: Safety glasses/ goggles
Exposure Guidelines/Other: Hygienic work practices: Wash with soap and water before handling food. Remove contaminated clothing.



Choke and Carb

MSDS Number: A45E

Revision Date: 05/17/10

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|-------------------------------|-------------------------|------------------------------|-----------------------------|
| Appearance: | Clear, colorless liquid | Boiling Point: | 131 Deg. F. |
| Physical State: | Liquid | Freezing/Melting Pt.: | NA |
| Odor: | Strong solvent | Solubility: | Partial |
| pH: | NA | Spec Grav./Density: | (H2O=1): 0.815 @ 75 Deg. F. |
| Vapor Pressure: | NA | | |
| Vapor Density: | ND | | |
| Heat Value: | NA | | |
| VOC: | ~ 45% | | |
| Evap. Rate: | NA | | |
| Bulk Density: | NA | | |
| Octanol: | NA | | |
| Molecular Weight: | NA | | |
| Particle Size: | NA | | |
| Softening Point: | NA | | |
| Viscosity: | NA | | |
| Percent Volatile: | NA | | |
| Sat. Vap. Concentrat.: | NA | | |
| Molecular Formula: | NA | | |

10 STABILITY AND REACTIVITY

| | |
|--|---|
| Stability: | Stable |
| Conditions to avoid: | Contact with incompatible materials, heat |
| Materials to avoid (incompatibility): | Strong oxidizing agents and sources of ignition |
| Hazardous Decomposition products: | Carbon monoxide, Carbon dioxide |
| Hazardous Polymerization: | Will not occur |

11 TOXICOLOGICAL INFORMATION

NA

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Aerosol cans, when emptied and depressurized through normal use, pose no disposal hazard and should be recycled. Consult local, state or federal authorities for approved procedures.



Choke and Carb

MSDS Number: A45E

Revision Date: 05/17/10

Page 4 of 4

14 TRANSPORT INFORMATION

Proper Shipping Name: Consumer Commodity, ORM-D

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Toluene (108883 22-32%) CERCLA, CSWHS, EPCRAWPC, HAP, MASS, NJHS, OSHAWAC, PA, PRIPOL, PROP65, SARA313, TOXICPOL, TOXICRCRA, TXAIR, TXHWL

*Methanol (67561 15-25%) CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, SARA313, TOXICRCRA, TXAIR, TXHWL

*Acetone (67641 45-55%) CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, TOXICRCRA, TXAIR, TXHWL

*Carbon Dioxide Propellant (124389 1-10%) MASS, OSHAWAC, PA, TXAIR

*Propane, 2,2-dimethoxy- (77769 1-5%) TSCA

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance
CSWHS = Clean Water Act Hazardous substances
EPCRAWPC = EPCRA Water Priority Chemicals
HAP = Hazardous Air Pollutants
MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
OSHAWAC = OSHA workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
PRIPOL = Clean Water Act Priority Pollutants
PROP65 = CA Prop 65
SARA313 = SARA 313 Title III Toxic Chemicals
TOXICPOL = Clean Water Act Toxic Pollutants
TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)
TXAIR = TX Air Contaminants with Health Effects Screening Level
TXHWL = TX Hazardous Waste List

TSCA = Toxic Substances Control Act

16 OTHER INFORMATION

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as carcinogen or potential carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal Data only
N/A = Not available N/D = Not determined

END OF MSDS DOCUMENT