



Clean Brake

MSDS Number: S700C

Revision Date: 06/19/06

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Wechem, Inc
5734 Susitna Dr

Harahan, LA 70123

Contact: Charito Kuylen
Telephone Number: 504-733-1152
FAX Number: 504-733-2218
E-Mail:
Web www.wechem.com

Product Name: Clean Brake
Revision Date: 06/19/06
MSDS Number: S700C
Product Code: S700

2 HAZARDS IDENTIFICATION

Route of Entry: Eye, inhalation, skin absorption, ingestion
Target Organs:
Inhalation: High vapor concentrations can cause irritations, peripheral nerve damage, and central nervous system effects.
Skin Contact: Frequent or prolonged contact may irritate and cause dermatitis, defatting, redness, inflammation.
Eye Contact: High concentration causes irritation, tearing, burning sensation. May cause injury which may persist for several days.
Ingestion: Harmful or fatal if swallowed. May cause nausea, vomiting, diarrhea, restlessness.
HMIS II-ratings (scale 0-4): Health = 1, Fire = 4, Reactivity = 0
HMIS III-ratings (scale 0-4): Health = 1, Fire = 4, Physical Hazard = 0
NFPA-ratings (scale 0-4): Health = 1, Fire = 4, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Perc.	Chemical Name	OSHA PEL (ppm)	ACGIH TLV (PPM)	Carcin. Ref.
110543	95-100	Aliphatic Hydrocarbon	50	50	D



Clean Brake

MSDS Number: S700C

Revision Date: 06/19/06

Page 2 of 4

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Resuscitate if necessary. Seek medical attention.
Skin Contact: Wash with soap and water. If irritated, seek medical attention.
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion: Do not induce vomiting. Get immediate medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: -7 Deg. F.
Burning Rate: ND
Autoignition Temperature: ND
LEL: ND
UEL: ND
Flammability Classification: Flammable liquid

Extinguishing media: Foam, dry chemical, water spray

Special Fire fighting procedures: Self contained breathing apparatus and protective clothing. Cool fire-exposed containers

Unusual Fire & Explosion Hazards: Can release vapors that form flammable mixtures at temperatures at or above the flashpoint. Static discharge, which can cause an incendiary electrical discharge. Use adequate grounding to prevent static build up.

6 ACCIDENTAL RELEASE MEASURES

Eliminate sources of ignition. Absorb with suitable medium.

7 HANDLING AND STORAGE

Handling Precautions: Store in a dry, cool area away from heat, sparks, flame and other sources of ignition. Keep containers tightly closed when not in use.
Storage Requirements: Store in a dry, cool area away from heat, sparks, flame and other sources of ignition. Keep containers tightly closed when not in use. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: Mechanical.
Protective Equipment: HMIS PP, B | Goggles, Gloves
Respiratory Protection: Use NIOSH/MHSHA approved respirator, if exposure reduction is not adequate.
Protective gloves: Chemical resistant/ Impervious
Eye protection: Safety glasses with shield
Exposure Guidelines/Other: Hygienic work practices: Wash with soap and water before handling food. Remove contaminated clothing.



Clean Brake

MSDS Number: S700C

Revision Date: 06/19/06

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colorless liquid	Boiling Point:	155 Deg. F.
Physical State:	Liquid	Freezing/Melting Pt.:	NA
Odor:	Hydrocarbon	Solubility:	Negligible
pH:	NA	Spec Grav./Density:	(H2O=1): 0.66
Vapor Pressure:	NA		
Vapor Density:	(Air=1): 3.0		
Heat Value:	NA		
Evap. Rate:	NA		
Bulk Density:	NA		
Octanol:	NA		
Molecular Weight:	NA		
Particle Size:	NA		
Softening Point:	NA		
Viscosity:	NA		
Sat. Vap. Concentrat.:	NA		
Molecular Formula:	NA		

10 STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	Exposure to heat, sparks, flame, and other sources of ignition, static electricity.
Materials to avoid (incompatibility):	Oxidizing agents, strong acids, caustics and halogens
Hazardous Decomposition products:	Carbon monoxide, carbon dioxide and reactive hydrocarbons
Hazardous Polymerization:	Will not occur

11 TOXICOLOGICAL INFORMATION

NA

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Dispose of according to local, state, or federal regulations.

14 TRANSPORT INFORMATION

Proper Shipping Name: Petroleum Distillates, N.O.S. (Hexane), 3, UN1268 PG II



Clean Brake

MSDS Number: S700C

Revision Date: 06/19/06

Page 4 of 4

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Hexane (110543 95-100%) CERCLA, HAP, MASS, OSHAWAC, PA, SARA313, TXAIR

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance
HAP = Hazardous Air Pollutants
MASS = MA Massachusetts Hazardous Substances List
OSHA = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
SARA313 = SARA 313 Title III Toxic Chemicals
TXAIR = TX Air Contaminants with Health Effects Screening Level

16 OTHER INFORMATION

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as carcinogen or potential carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal Data only
N/A = Not available N/D = Not determined

END OF MSDS DOCUMENT