



Eradicator

MSDS Number: A100C

Revision Date: 11/16/10

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Wechem, Inc
5734 Susitna Dr

Harahan, LA 70123

Contact: Charito Kuylen
Telephone Number: 504-733-1152
FAX Number: 504-733-2218
E-Mail:
Web www.wechem.com

Product Name: Eradicator
Revision Date: 11/16/10
MSDS Number: A100C
Product Code: A100

2 HAZARDS IDENTIFICATION

Route of Entry: Ingestion, eye, skin absorption
Target Organs: NA
Inhalation: Inhalation of mist can cause irritation of nasal and respiratory passages. Abusive or excessive inhalation may cause irritation to the upper respiratory tract, dizziness, nausea and other central nervous system effects.
Skin Contact: Frequent or prolonged contact may cause irritation.
Eye Contact: May cause slight irritation but does not injure eye tissue.
Ingestion: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration of material into lungs can cause chemical pneumonitis. Minimal toxicity.

HMIS II-ratings (scale 0-4): Health = 1, Fire = 2, Reactivity = 0

HMIS® Rating H*1/F2/PH0

NFPA-ratings (scale 0-4): Health = 1, Fire = 2, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Chemical Name	Perc.	OSHA PEL (ppm)	ACGIH TLV(ppm)	Carcin. Ref.
67630	Isopropyl Alcohol	5-10	400	400	D
5131668	Propylene Glycol	1-5	100	100	D
	Monobutyl Ether				
107982	Propylene Glycol	1-5	100	100	D
	Monomethyl Ether				
68476868	Liquefied Petroleum Gas	5-10	1000	1000	D



Eradicator

MSDS Number: A100C

Revision Date: 11/16/10

Page 2 of 4

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Resuscitate if necessary. Seek medical attention.
Skin Contact: Wash with soap and water. If irritated seek medical attention.
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion: Induce vomiting. Get immediate medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: 123 Deg. F
Flash Point Method: TOC
Burning Rate: ND
Autoignition Temperature: ND
LEL: ND
UEL: ND
Flammability Classification: (As per USA Flame Projection Test): Non- flammable Spray

Extinguishing media: Foam, dry chemical, carbon dioxide

Special Fire fighting procedures: Use self-contained breathing apparatus and protective clothing. Cool fire-exposed containers to prevent rupturing.

Unusual Fire & Explosion Hazard: Contents under pressure. Exposure to temperature above 120 Deg. F. may cause bursting.

6 ACCIDENTAL RELEASE MEASURES

Allow propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame far away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Dispose of soaked absorbent material in accordance with Federal, State and local laws

7 HANDLING AND STORAGE

Handling Precautions: Store in a cool, dry area, away from sparks and sources of ignition.
Storage Requirements: Store in a cool, dry area, away from sparks and sources of ignition. For industrial and institutional use only. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: Local exhaust to keep TLV below acceptable limits.
Protective Equipment: HMIS PP, B | Goggles, Gloves
HMIS PP, A | Goggles
Respiratory Protection: None needed in accordance with label directions.
Protective gloves: None needed for use in accordance with label directions. Use chemical resistant gloves if hand contact will be made.
Eye protection: Safety glasses or splash goggles.
Exposure Guidelines/Other: Hygienic work practices: Wash with soap and water before handling food.



Eradicator

MSDS Number: A100C

Revision Date: 11/16/10

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Cloudy liquid	Boiling Point:	181 Deg. F.
Physical State:	Liquid	Freezing/Melting Pt.:	NA
Odor:	Glycol Ether	Solubility:	Complete
pH:	9.8 +/- 1	Spec Grav./Density:	(H2O=1): 0.98 +/- 0.05
Vapor Pressure:	(psig@72 Deg.F): 50		
Vapor Density:	(Air=1): > 1		
Heat Value:	NA		
VOC:	~ 23 %		
Evap. Rate:	0.1		
Bulk Density:	NA		
Octanol:	NA		
Molecular Weight:	NA		
Particle Size:	NA		
Softening Point:	NA		
Viscosity:	NA		
Percent Volatile:	NA		
Sat. Vap. Concentrat.:	NA		
Molecular Formula:	NA		

10 STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	Temperatures above 120 Deg. F.
Materials to avoid (incompatibility):	Strong oxidizing agents
Hazardous Decomposition products:	Carbon monoxide, Carbon dioxide
Hazardous Polymerization:	Will not occur

11 TOXICOLOGICAL INFORMATION

NA

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Dispose of according to local, state, or federal regulations.



Eradicator

MSDS Number: A100C

Revision Date: 11/16/10

Page 4 of 4

14 TRANSPORT INFORMATION

Proper Shipping Name: Consumer Commodity, ORM-D

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Isopropyl alcohol (67630 5-10%) MASS, NJHS, NRC, OSHAWAC, PA, TXAIR

*2-Propanol, 1-butoxy- (5131668 1-5%) TSCA

*Propylene glycol monomethyl ether (107982 1-5%) HAP, MASS, OSHAWAC, PA, TSCA, TXAIR

*Petroleum gases, liquefied, sweetened (68476868 5-10%) TSCA

REGULATORY KEY DESCRIPTIONS

HAP = Hazardous Air Pollutants

MASS = MA Massachusetts Hazardous Substances List

OSHA = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TXAIR = TX Air Contaminants with Health Effects Screening Level

NJHS = NJ Right-to-Know Hazardous Substances

NRC = Nationally Recognized Carcinogens

TSCA = Toxic Substances Control Act

16 OTHER INFORMATION

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC

Monograph [c] OSHA [d] Not listed [e] Animal data only

N/A = Not available

N/D = Not determined

END OF MSDS DOCUMENT