

MSDS Material Safety Data Sheet

Wechem, Inc.



Fiberline

MSDS Number: F400C

Revision Date: 05/12/11

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Wechem, Inc
5734 Susitna Dr

Harahan, LA 70123

Contact: Charito Kuylen
Telephone Number: 504-733-1152
FAX Number: 504-733-2218
E-Mail:
Web www.wechem.com

Product Name: Fiberline
Revision Date: 05/12/11
MSDS Number: F400C
Product Code: F400

2 HAZARDS IDENTIFICATION

Route of Entry: Eye, skin absorption, ingestion
Target Organs: NA
Inhalation: Generated mist can cause irritation to mucous membrane of nose, throat and lungs
Skin Contact: Severe irritation. May cause moderate reddening, swelling
Eye Contact: Severe irritation. Liquid and mist may damage the eye causing corneal injury.
Ingestion: Harmful if swallowed. Irritation to mouth, throat and gastrointestinal system. May cause nausea, headache, vomiting and diarrhea.

HMIS II-ratings (scale 0-4): Health = 2, Fire = 2, Reactivity = 0

HMIS® Rating H*2/F2/PH2

NFPA-ratings (scale 0-4): Health = 2, Fire = 2, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Chemical Name	Perc.	OSHA PEL (ppm)	ACGIH TLV(ppm)	Carcin. Ref.
111762	Ethylene Glycol Monobutyl Ether	5-10	25	25	D
NA	Surfactant Mixture	< 5	NA	NA	D
67630	Isopropanol	< 10	400	400	D



Fiberline

MSDS Number: F400C

Revision Date: 05/12/11

Page 2 of 4

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.
Skin Contact: Wash with soap and water. If irritated, seek medical attention.
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion: Do not induce vomiting. Drink two large glasses of water. Get immediate medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: 115 Deg. F.
Flash Point Method: PMCC
Burning Rate: ND
Autoignition Temperature: ND
LEL: ND
UEL: ND
Flammability Classification: ND

Extinguishing media: Foam, dry chemical, carbon dioxide, water

Special Fire fighting procedures: Self-contained breathing apparatus and protective clothing.

Unusual Fire & Explosion Hazards: None known

6 ACCIDENTAL RELEASE MEASURES

Contain spill and absorb with suitable medium.

7 HANDLING AND STORAGE

Handling Precautions: Store in closed containers away from oxidizers and heat. Do not reuse empty containers.
Storage Requirements: Store in closed containers away from oxidizers and heat. Do not reuse empty containers. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: Local exhaust
Protective Equipment: HMIS PP, B | Goggles, Gloves
Respiratory Protection: None required under normal use conditions.
Protective gloves: Rubber/ waterproof
Eye protection: Goggles/ safety glasses
Exposure Guidelines/Other: Hygienic work practices: Wash thoroughly after handling, especially before eating, drinking



Fiberline

MSDS Number: F400C

Revision Date: 05/12/11

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear liquid	Boiling Point:	NA
Physical State:	Liquid	Freezing/Melting Pt.:	NA
Odor:	Pleasant	Solubility:	Complete
pH:	10 +/- 1	Spec Grav./Density:	(H2O=1): 1.01 +/- 0.05
Vapor Pressure:	NA		
Vapor Density:	(Air=1): NA		
Heat Value:	NA		
VOC:	NA		
Evap. Rate:	NA		
Bulk Density:	NA		
Octanol:	NA		
Molecular Weight:	NA		
Particle Size:	NA		
Softening Point:	NA		
Viscosity:	NA		
Percent Volatile:	NA		
Sat. Vap. Concentrat.:	NA		
Molecular Formula:	NA		

10 STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	Heat, contact with incompatible materials
Materials to avoid (incompatibility):	Strong oxidizers
Hazardous Decomposition products:	Alkaline vapors in a fire, carbon dioxide, carbon monoxide
Hazardous Polymerization:	Will not occur

11 TOXICOLOGICAL INFORMATION

NA

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Dispose of according to local, state, or federal regulations.



Fiberline

MSDS Number: F400C

Revision Date: 05/12/11

Page 4 of 4

14 TRANSPORT INFORMATION

Proper Shipping Name: Not Regulated

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Isopropanol (67630 <10%) MASS, NJHS, NRC, OSHAWAC, PA, TXAIR

*Ethylene glycol monobutyl ether (111762 5-10%) HAP, MASS, OSHAWAC, PA, SARA313, TXAIR

REGULATORY KEY DESCRIPTIONS

HAP = Hazardous Air Pollutants
MASS = MA Massachusetts Hazardous Substances List
OSHA = OSHA workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level
NJHS = NJ Right-to-Know Hazardous Substances
NRC = Nationally Recognized Carcinogens
SARA313 = SARA 313 Title III Toxic Chemicals

16 OTHER INFORMATION

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as carcinogen or potential carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal Data only
N/A = Not available N/D = Not determined

END OF MSDS DOCUMENT