

MSDS *Material Safety Data Sheet*

Wechem, Inc.



Hulk System FS 250 (Formulation Base)

MSDS Number: HFS250A

Revision Date: 06/11/07

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Wechem, Inc
5734 Susitna Dr

Harahan, LA 70123

Contact: Charito Kuylen
Telephone Number: 504-733-1152
FAX Number: 504-733-2218
E-Mail:
Web www.wechem.com

Product Name: Hulk System FS 250 (Formulation Base)
Revision Date: 06/11/07
MSDS Number: HFS250A
Product Code: HFS250

2 HAZARDS IDENTIFICATION

Route of Entry: Skin absorption
Target Organs: NA
Inhalation: Inhalation of generated mist can cause nasal and respiratory irritation or damage to respiratory tract.
Skin Contact: Causes irritation
Eye Contact: Causes irritation and burning
Ingestion: Harmful or fatal if swallowed.

HMIS II-ratings (scale 0-4): Health = 2, Fire = 0, Reactivity = 0
HMIS® Rating H*2/F0/PH2
NFPA-ratings (scale 0-4): Health = 2, Fire = 0, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Chemical Name	Perc.	OSHA PEL (ppm)	ACGIH TLV(ppm)	Carcin. Ref.
1310583	Potassium Hydroxide	15-25	2mg/m3	2mg/m3	D
NA	Surfactant Blend	NA	NA	NA	



Hulk System FS 250 (Formulation Base)

MSDS Number: HFS250A

Revision Date: 06/11/07

Page 2 of 4

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.
Skin Contact: Wash with soap and water. If irritated, seek medical attention.
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion: Do not induce vomiting. Drink two large glasses of water. Get immediate medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: > 200 Deg. F.
Burning Rate: ND
Autoignition Temperature: ND
LEL: ND
UEL: ND
Flammability Classification: NA

Extinguishing media: Foam, dry chemical, carbon dioxide, water

Special fire fighting procedures: Wear self contained breathing apparatus and protective clothing if needed.

Unusual Fire & Explosion Hazards: None known

6 ACCIDENTAL RELEASE MEASURES

Absorb with suitable medium.

7 HANDLING AND STORAGE

Handling Precautions: Handle all containers carefully. Store in a cool, dry area away from heat, sparks and other sources of ignition.
Storage Requirements: Handle all containers carefully. Store in a cool, dry area away from heat, sparks and other sources of ignition. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: Local exhaust
Protective Equipment: HMIS PP, B | Goggles, Gloves
Respiratory Protection: None required under normal use conditions.
Protective gloves: Chemical resistant, rubber, PVC
Eye protection: Safety glasses/ goggles
Exposure Guidelines/Other: Hygienic work practices: Wash with soap and water before handling food.



Hulk System FS 250 (Formulation Base)

MSDS Number: HFS250A

Revision Date: 06/11/07

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, red liquid	Boiling Point:	212 Deg. F.
Physical State:	Liquid	Freezing/Melting Pt.:	NA
Odor:	Characteristic	Solubility:	Complete
pH:	> 13	Spec Grav./Density:	(H2O=1): 1.21 +/- 0.05
Vapor Pressure:	ND		
Vapor Density:	(Air=1): ND		
Heat Value:	NA		
VOC:	NA		
Evap. Rate:	NA		
Bulk Density:	NA		
Octanol:	NA		
Molecular Weight:	NA		
Particle Size:	NA		
Softening Point:	NA		
Viscosity:	NA		
Percent Volatile:	NA		
Sat. Vap. Concentrat.:	NA		
Molecular Formula:	NA		

10 STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	NA
Materials to avoid (incompatibility):	Strong oxidizers, acids
Hazardous Decomposition products:	Carbon dioxide, carbon monoxide
Hazardous Polymerization:	Will not occur

11 TOXICOLOGICAL INFORMATION

NA

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Dispose of according to local, state, or federal regulations.



Hulk System FS 250 (Formulation Base)

MSDS Number: HFS250A

Revision Date: 06/11/07

Page 4 of 4

14 TRANSPORT INFORMATION

Proper Shipping Name: Compounds, Cleaning liquid, (Potassium Hydroxide), 8, NA 1760, PG II

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Potassium hydroxide (1310583 15-25%) CERCLA, CSWHS, MASS, OSHAWAC, PA, TXAIR

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance
CSWHS = Clean water Act Hazardous substances
MASS = MA Massachusetts Hazardous Substances List
OSHA = OSHA workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level

16 OTHER INFORMATION

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as carcinogen or potential carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal Data only
N/A = Not available N/D = Not determined

END OF MSDS DOCUMENT