



Ice Away

MSDS Number: A130D

Revision Date: 05/25/06

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Wechem, Inc
5734 Susitna Dr

Harahan, LA 70123

Contact: Charito Kuylen
Telephone Number: 504-733-1152
FAX Number: 504-733-2218
E-Mail:
Web www.wechem.com

Product Name: Ice Away
Revision Date: 05/25/06
MSDS Number: A130D
Product Code: A130

2 HAZARDS IDENTIFICATION

Route of Entry: Ingestion, skin absorption, inhalation
Target Organs:
Inhalation: Can cause nasal and respiratory irritation or damage to respiratory tract.
Skin Contact: Causes irritation.
Eye Contact: Causes slight irritation.
Ingestion: Can cause irritation, nausea, diarrhea, vomiting. Harmful or fatal if swallowed.

HMIS II-ratings (scale 0-4): Health = 1, Fire = 3, Reactivity = 0
HMIS III-ratings (scale 0-4): Health = 1, Fire = 3, Physical Hazard = 1
NFPA-ratings (scale 0-4): Health = 1, Fire = 3, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Chemical Name	Perc.	OSHA PEL (ppm)	ACGIH TLV(ppm)	Carcin. Ref.
67630	Isopropyl alcohol	80-100	400	400	D
57556	Propylene glycol	5-10	N/A	N/A	D
124389	Carbon dioxide	1-5	10,000	10,000	D



Ice Away

MSDS Number: A130D

Revision Date: 05/25/06

Page 2 of 4

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Resuscitate if necessary. Seek medical attention.
Skin Contact: Wash with soap and water. If irritated seek medical attention.
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion: Do not induce vomiting. Get medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: 45 Deg. F.
Flash Point Method: TOC
Burning Rate: ND
Autoignition Temperature: ND
LEL: ND
UEL: ND
Flammability Classification: Extremely flammable spray

Extinguishing media: Foam, dry chemical, carbon dioxide

Special Fire fighting procedures: Use self-contained breathing apparatus and protective clothing.

Unusual Fire & Explosion Hazard: Exposure to temperature above 120 Deg. F. may cause bursting.

6 ACCIDENTAL RELEASE MEASURES

Allow propellant to evaporate. Absorb with suitable medium.

7 HANDLING AND STORAGE

Handling Precautions: Store in a cool, fire-resistant area
Storage Requirements: Store in a cool, fire-resistant area. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: Local exhaust to keep TLV below acceptable limits.
Protective Equipment: HMIS PP, B | Goggles, Gloves
Respiratory Protection: None needed for proper use in accordance with label directions.
Protective gloves: Chemical resistant
Eye protection: Safety glasses / goggles
Exposure Guidelines/Other: Hygienic work practices: Wash with soap and water before handling food.



Ice Away

MSDS Number: A130D

Revision Date: 05/25/06

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	(Aerosol concentrate only) Clear, colorless liquid		
Physical State:	Liquid	Boiling Point:	~140 Deg. F.
Odor:	Mild, alcohol	Freezing/Melting Pt.:	NA
pH:	NA	Solubility:	Complete
Vapor Pressure:	85 @ 70 Deg. F.	Spec Grav./Density:	(H2O=1): @ 75 Deg. F: 0.797
Vapor Density:	(Air=1): > 1		
Heat Value:	NA		
VOC:	~ 97%		
Evap. Rate:	NA		
Bulk Density:	NA		
Octanol:	NA		
Molecular Weight:	NA		
Particle Size:	NA		
Softening Point:	NA		
Viscosity:	NA		
Percent Volatile:	~ 95%		
Sat. Vap. Concentrat.:	NA		
Molecular Formula:	NA		

10 STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	Contact with heat, sparks, open flame
Materials to avoid (incompatibility):	Strong oxidizing agents, acids, alkalies
Hazardous Decomposition products:	Carbon monoxide, Carbon dioxide
Hazardous Polymerization:	Will not occur

11 TOXICOLOGICAL INFORMATION

NA

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Dispose of according to local, state or federal regulations.



Ice Away

MSDS Number: A130D

Revision Date: 05/25/06

Page 4 of 4

14 TRANSPORT INFORMATION

Proper Shipping Name: Consumer Commodity, ORM-D

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Isopropyl alcohol (67630 80-100%) MASS, NJHS, NRC, OSHAWAC, PA, TXAIR

*Propylene glycol (57556 5-10%) HAP, PA

*Carbon dioxide (124389 1-5%) MASS, OSHAWAC, PA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
NRC = Nationally Recognized Carcinogens
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level
HAP = Hazardous Air Pollutants

16 OTHER INFORMATION

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal data only
N/A = Not available N/D = Not determined

END OF MSDS DOCUMENT