



Met-All N2600

MSDS Number: A900C

Revision Date: 05/25/06

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Distributed By: Wechem, Inc
5734 Susitna Dr

Harahan, LA 70123

Contact: Charito Kuylen
Telephone Number: 504-733-1152
FAX Number: 504-733-2218
E-Mail:
Web www.wechem.com

Product Name: Met-All N2600
Revision Date: 05/25/06
MSDS Number: A900C
Product Code: A900

2 HAZARDS IDENTIFICATION

Route of Entry: Inhalation, eye
Target Organs: NA
Inhalation: Respiratory irritation, headache, nausea, fatigue, drowsiness, impaired coordination.
Skin Contact: Can cause mild irritation, dryness. Long term overexposure to nickel compounds has been associated with possible skin sensitization.
Eye Contact: May cause mild to severe irritation
Ingestion: May cause gastrointestinal irritation

HMIS II-ratings (scale 0-4): Health = 1, Fire = 4, Reactivity = 0
HMIS III-ratings (scale 0-4): Health = 1, Fire = 4, Physical Hazard = 1
NFPA-ratings (scale 0-4): Health = 1, Fire = 4, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Chemical Name	Perc.	OSHA PEL (ppm)	ACGIH TLV(ppm)	Carcin. Ref.
142825	Heptane	30-40	400	400	D
64742547	Petroleum Oil	5-15	1mg/m3	1mg/m3	D
64742650	Petroleum Oil	15-25	5mg/m3	5mg/m3	D
7440020	Nickel Flake	5-15	1mg/m3	1mg/m3	A, B, C
7782425	Synthetic Graphite	<10	10mg/m3	10mg/m3	D
74986	Propane	5-15	1000	1000	D
106978	Butane	5-15	800	800	D



4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Resuscitate if necessary. Seek medical attention.
Skin Contact: Wash with soap and water. If irritated seek medical attention.
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion: Do not induce vomiting. Get immediate medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: - 156 Deg. F.
Flash Point Method: NA
Burning Rate: ND
Autoignition Temperature: ND
LEL: 0.9
UEL: 10
Flammability Classification: Extremely Flammable

Extinguishing media: Foam, dry chemical, waterfog, CO2

Special Fire fighting procedures: Use self-contained breathing apparatus and protective clothing. Cool fire-exposed containers to prevent rupturing.

Unusual Fire & Explosion Hazard: Closed containers may explode from internal pressure build up when exposed to extreme heat and discharged contents. Vapor accumulation can flash or explode when ignited.

6 ACCIDENTAL RELEASE MEASURES

Scoop up excess. Wipe up with rags. Pick up residue with diatomaceous earth to avoid walking hazard.

7 HANDLING AND STORAGE

Handling Precautions: Do not allow to enter drains. Handle all containers carefully. Do not store at elevated temperatures.
Storage Requirements: Do not allow to enter drains. Handle all containers carefully. Do not store at elevated temperatures. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: Local exhaust
Protective Equipment: HMIS PP, B | Goggles, Gloves
Respiratory Protection: None needed for proper use in accordance with label direction. Otherwise, use approved chemical/mechanical filters designed to remove a combination of particles and vapor.
Protective gloves: Rubber, impervious
Eye protection: Safety goggles
Others: Use of eyewash and safety showers in the workplace recommended
Exposure Guidelines/Other: Hygienic work practices: Wash with soap and water before handling food.



Met-All N2600

MSDS Number: A900C

Revision Date: 05/25/06

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Aerosol product	Boiling Point:	- 44 Deg. F. - 500 Deg. F.
Physical State:		Freezing/Melting Pt.:	NA
Odor:	Solvent	Solubility:	NIL
pH:	NA	Spec Grav./Density:	(H2O=1): 0.80
Vapor Pressure:	ND		
Vapor Density:	(Air=1): NA		
Heat Value:	NA		
VOC:	NA		
Evap. Rate:	NA		
Bulk Density:	NA		
Octanol:	NA		
Molecular Weight:	NA		
Particle Size:	NA		
Softening Point:	NA		
Viscosity:	NA		
Percent Volatile:	NA		
Sat. Vap. Concentrat.:	NA		
Molecular Formula:	NA		

10 STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	Application to hot surfaces, storage above 120 Deg. F., exposure to open flame
Materials to avoid (incompatibility):	Reducing agents and strong mineral acids
Hazardous Decomposition products:	Carbon Monoxide
Hazardous Polymerization:	Will not occur

11 TOXICOLOGICAL INFORMATION

NA

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Dispose of according to local, state, or federal regulations.



14 TRANSPORT INFORMATION

Proper Shipping Name: Consumer Commodity, ORM-D

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

- *Heptane (142825 30-40%) MASS, OSHAWAC, PA, TXAIR
- *Distillates, petroleum, solvent-dewaxed heavy paraffinic (64742650 15-25%) NJHS
- *Nickel (7440020 5-15%) CERCLA, EPCRAWPC, MASS, NJHS, NRC, OSHAWAC, PA, PRIPOL, SARA313, TOXICPOL
- *Graphite (7782425 <10%) MASS, OSHAWAC, PA, TXAIR
- *Propane (74986 5-15%) MASS, NJHS, OSHAWAC, PA, TXAIR
- *Butane (106978 5-15%) MASS, NJHS, OSHAWAC, PA, TXAIR
- *Distillates, petroleum, hydrotreated heavy paraffinic (64742547 5-15%) NJHS

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level
NJHS = NJ Right-to-Know Hazardous Substances
CERCLA = Superfund clean up substance
EPCRAWPC = EPCRA Water Priority Chemicals
NRC = Nationally Recognized Carcinogens
PRIPOL = Clean Water Act Priority Pollutants
SARA313 = SARA 313 Title III Toxic Chemicals
TOXICPOL = Clean Water Act Toxic Pollutants

16 OTHER INFORMATION

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal data only
N/A = Not available N/D = Not determined