

MSDS *Material Safety Data Sheet*

Wechem, Inc.

Neutralizer

MSDS Number: A150F

Revision Date: 06/09/09

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Distributed By: Wechem, Inc
5734 Susitna Dr

Harahan, LA 70123

Contact: Charito Kuylen
Telephone Number: 504-733-1152
FAX Number: 504-733-2218
E-Mail:
Web www.wechem.com

Product Name: Neutralizer
Revision Date: 06/09/09
MSDS Number: A150F
Product Code: A150

2 HAZARDS IDENTIFICATION

Route of Entry: Inhalation, eye
Target Organs:
Inhalation: Can cause irritation of nasal and respiratory passages. Abusive inhalation may cause irritation to the upper respiratory tract.
Skin Contact: Prolonged may cause irritation to the upper respiratory tract.
Eye Contact: May cause irritation, but does not injure eye.
Ingestion: Can cause gastrointestinal irritation, nausea, diarrhea, vomiting. Minimal toxicity.
HMIS II-ratings (scale 0-4): Health = 1, Fire = 0, Reactivity = 0
HMIS III-ratings (scale 0-4): Health = 1, Fire = 0, Physical Hazard = 0
NFPA-ratings (scale 0-4): Health = 1, Fire = 0, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Chemical Name	Perc.	OSHA PEL (ppm)	ACGIH TLV(ppm)	Carcin. Ref.
68476868	Liquefied Petroleum Gas	1-10	1000	1000	D
111762	Ethylene Glycol Monobutyl ether	1-10	50	50	D

MSDS *Material Safety Data Sheet*

Wechem, Inc.

Neutralizer

MSDS Number: A150F

Revision Date: 06/09/09

Page 2 of 4

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Resuscitate if necessary. Seek medical attention.
Skin Contact: Wash with soap and water. If irritated seek medical attention.
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion: Do not induce vomiting. Get medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: None to boiling
Flash Point Method: NA
Burning Rate: ND
Autoignition Temperature: ND
LEL: ND
UEL: ND
Flammability Classification: (Per USA Flame Projection Test): Non- flammable spray

Extinguishing media: Foam, dry chemical, carbon dioxide

Special Fire fighting procedures: Use self-contained breathing apparatus and protective clothing. Cool fire-exposed containers to prevent rupturing.

Unusual Fire & Explosion Hazard: Exposure to temperature above 120 Deg. F. may cause bursting.

6 ACCIDENTAL RELEASE MEASURES

Allow propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame far way from spill and leak. Cover with absorbent material and sweep up.

7 HANDLING AND STORAGE

Handling Precautions: Store in a cool, dry area away from sparks, flames and other sources of ignition. For industrial and institutional use only.
Storage Requirements: Store in a cool, dry area away from sparks, flames and other sources of ignition. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: Local exhaust to keep TLV below acceptable limits.
Protective Equipment: HMIS PP, A | Goggles
Respiratory Protection: None needed for proper use in accordance with label directions.
Protective gloves: None needed for proper use in accordance with label directions. Use chemical resistant gloves if hand contact will be made.
Eye protection: Safety glasses/ goggles
Exposure Guidelines/Other: Hygienic work practices: Wash with soap and water before handling food.

MSDS *Material Safety Data Sheet*

Wechem, Inc.

Neutralizer

MSDS Number: A150F

Revision Date: 06/09/09

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	(Aerosol concentrate only) Orange liquid		
Physical State:	liquid	Boiling Point:	~ 212 Deg. F.
Odor:	Ammonia	Freezing/Melting Pt.:	NA
pH:	9.7 +/- 1	Solubility:	Complete
Vapor Pressure:	(Can psig @ 70 Deg. F): 55	Spec Grav./Density:	(H2O=1): 1.046 @ 70 Deg. F.
Vapor Density:	(Air=1): >1		
Heat Value:	NA		
VOC:	6.33 %		
Evap. Rate:	NA		
Bulk Density:	NA		
Octanol:	NA		
Molecular Weight:	NA		
Particle Size:	NA		
Softening Point:	NA		
Viscosity:	NA		
Percent Volatile:	NA		
Sat. Vap. Concentrat.:	NA		
Molecular Formula:	NA		

10 STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	Heat, contact with strong oxidizing agents
Materials to avoid (incompatibility):	Strong oxidizing agents, nitrous compound
Hazardous Decomposition products:	Carbon monoxide, Carbon dioxide
Hazardous Polymerization:	Will not occur

11 TOXICOLOGICAL INFORMATION

NA

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Dispose of according to local, state, or federal regulations.

MSDS *Material Safety Data Sheet*

Wechem, Inc.

Neutralizer

MSDS Number: A150F

Revision Date: 06/09/09

Page 4 of 4

14 TRANSPORT INFORMATION

Proper Shipping Name: Consumer Commodity, ORM-D

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Ethylene glycol monobutyl ether (111762 1-10%) HAP, MASS, OSHAWAC, PA, TXAIR, SARA313

*Petroleum gases, liquefied, sweetened (68476868 1-10%) TSCA

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level
HAP = Hazardous Air Pollutants
SARA313 = SARA 313 Title III Toxic Chemicals

TSCA = Toxic Substances Control Act

16 OTHER INFORMATION

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal data only
N/A = Not available N/D = Not determined

END OF MSDS DOCUMENT