

MSDS Material Safety Data Sheet

Wechem, Inc.



Stick It

MSDS Number: A215E

Revision Date: 5/05/11

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Distributed By: Wechem, Inc
5734 Susitna Dr

Harahan, LA 70123

Contact: Charito Kuylen
Telephone Number: 504-733-1152
FAX Number: 504-733-2218
E-Mail:
Web www.wechem.com

Product Name: Stick It
Revision Date: 5/05/11
MSDS Number: A215E
Product Code: A215

2 HAZARDS IDENTIFICATION

Route of Entry: Inhalation, skin absorption
Target Organs: NA
Inhalation: May cause nasal and respiratory irritation, dizziness, weakness, nausea, headache. Under high concentration possible unconsciousness or asphyxiation and even death.
Skin Contact: Prolonged or repeated contact can cause irritation or dermatitis.
Eye Contact: May cause severe irritation, redness, tearing or blurred vision.
Ingestion: May be harmful or fatal if swallowed. Possible chemical pneumonitis if aspirated into the lungs.

HMIS II-ratings (scale 0-4): Health = 2, Fire = 4, Reactivity = 0

HMIS® Rating H*2/F4/PH2

NFPA-ratings (scale 0-4): Health = 2, Fire = 4, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Chemical Name	Perc.	OSHA PEL (ppm)	ACGIH TLV(ppm)	Carcin. Ref.
67641	2-Propanone	NA	750	1000	D
110543	Hexane	NA	50	50	D
110827	Cyclohexane	NA	300	300	D
68476868	Liquefied Petroleum Gas	NA	1000	1000	D



Stick It

MSDS Number: A215E

Revision Date: 5/05/11

Page 2 of 4

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Resuscitate if necessary. Seek medical attention.
Skin Contact: Wash with soap and water. If irritated seek medical attention.
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion: Do not induce vomiting. Drink two large glasses of water. Get medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: NA
Flash Point Method: NA
Burning Rate: ND
Autoignition Temperature: ND
LEL: ND
UEL: ND
Flammability Classification: Extremely flammable spray

Extinguishing media: Dry media, carbon dioxide

Special Fire fighting procedures: Use self-contained breathing apparatus. Use water fog to cool containers to prevent rupturing & exploding containers. Provide shielding for personnel.

Unusual Fire & Explosion Hazard: Do not expose aerosol to temperatures above 120 Deg. F. or the container may rupture.

6 ACCIDENTAL RELEASE MEASURES

Allow propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame far away from spill or leak. Absorb with suitable medium. Incinerate or landfill according to local, state, or federal regulations. Do not flush to sewer.

7 HANDLING AND STORAGE

Handling Precautions: Do not puncture or incinerate containers. Do not store at temperatures above 120 Deg. F.
Storage Requirements: Do not puncture or incinerate containers. Do not store at temperatures above 120 Deg. F. Keep out of reach of children. For industrial or institutional use only.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: Adequate ventilation to keep vapor below TLV.
Protective Equipment: HMIS PP, B | Goggles, Gloves
Respiratory Protection: None needed for proper use in accordance with label directions. Otherwise, if vapor concentration exceeds TLV use respirator approved by NIOSH in positive pressure mode.
Protective gloves: Chemical resistant gloves if hand contact is made.
Eye protection: Safety glasses recommended

Exposure Guidelines/Other: Hygienic work practices: Wash with soap and water before handling food. Remove contaminated clothing.



Stick It

MSDS Number: A215E

Revision Date: 5/05/11

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, amber liquid	Boiling Point:	NA
Physical State:	Liquid	Freezing/Melting Pt.:	NA
Odor:	Solvent	Solubility:	Insoluble
pH:	NA	Spec Grav./Density:	(H2O=1): Concentrate only: 0.80
Vapor Pressure:	(Can, psig @70 Deg F): NA		
Vapor Density:	(Air=1): > 1		
Heat Value:	NA		
VOC:	~ 55 %		
Evap. Rate:	NA		
Bulk Density:	NA		
Octanol:	NA		
Molecular Weight:	NA		
Particle Size:	NA		
Softening Point:	NA		
Viscosity:	NA		
Percent Volatile:	NA		
Sat. Vap. Concentrat.:	NA		
Molecular Formula:	NA		

10 STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	Open flame, welding arcs, heat, sparks
Materials to avoid (incompatibility):	Strong oxidizing agents
Hazardous Decomposition products:	Carbon monoxide, Carbon dioxide
Hazardous Polymerization:	Will not occur

11 TOXICOLOGICAL INFORMATION

NA

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard and should be recycled. Consult Federal, State and local authorities for approved procedures.



Stick It

MSDS Number: A215E

Revision Date: 5/05/11

Page 4 of 4

14 TRANSPORT INFORMATION

Proper Shipping Name: Consumer Commodity, ORM-D

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*2-Propanone (67641 na%) CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, TOXICRCRA, TXAIR, TXHWL

*Hexane (110543 n/a%) CERCLA, HAP, MASS, OSHAWAC, PA, SARA313, TSCA, TXAIR

*Cyclohexane (110827 n/a%) CERCLA, CSWHS, EPCRAWPC, HAP, MASS, NJHS, OSHAWAC, PA, SARA313, TOXICRCRA, TSCA, TXAIR, TXHWL

*Petroleum gases, liquefied, sweetened (68476868 n/a%) TSCA

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance
HAP = Hazardous Air Pollutants
MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
OSHA = OSHA workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
SARA313 = SARA 313 Title III Toxic Chemicals
TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)
TXAIR = TX Air Contaminants with Health Effects Screening Level
TXHWL = TX Hazardous Waste List

TSCA = Toxic Substances Control Act

CSWHS = Clean Water Act Hazardous substances
EPCRAWPC = EPCRA Water Priority Chemicals

16 OTHER INFORMATION

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal data only
N/A = Not available N/D = Not determined

END OF MSDS DOCUMENT