



Super- G 85W 140

MSDS Number: L85B

Revision Date: 05/25/06

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Distributed By: Wechem, Inc
5734 Susitna Dr

Harahan, LA 70123

Contact: Charito Kuylen
Telephone Number: 504-733-1152
FAX Number: 504-733-2218
E-Mail:
Web www.wechem.com

Product Name: Super- G 85W 140
Revision Date: 05/25/06
MSDS Number: L85B
Product Code: L85

2 HAZARDS IDENTIFICATION

Route of Entry: Skin absorption, ingestion, eye, inhalation
Target Organs: NA
Inhalation: May cause respiratory tract irritation
Skin Contact: May cause irritation
Eye Contact: May cause irritation
Ingestion: May cause vomiting, nausea, diarrhea.

HMIS II-ratings (scale 0-4): Health = 1, Fire = 1, Reactivity = 0

HMIS III-ratings (scale 0-4): Health = 1, Fire = 1, Physical Hazard = 1

NFPA-ratings (scale 0-4): Health = 1, Fire = 1, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Chemical Name	Perc.	OSHA PEL (ppm)	ACGIH TLV(ppm)	Carcin. Ref.
8002059	Petroleum Oil Mixture		5mg/m3 TWA for oil Mist	5mg/m3 TWA for oil Mist	D



Super- G 85W 140

MSDS Number: L85B

Revision Date: 05/25/06

Page 2 of 4

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Resuscitate if necessary. Seek medical attention.
Skin Contact: Wash with soap and water. If irritated seek medical attention.
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion: Do not induce vomiting. Drink 3-4 glasses of water. Get medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: > 400 Deg. F.
Flash Point Method: COC
Burning Rate: ND
Autoignition Temperature: ND
LEL: ND
UEL: ND
Flammability Classification: Extremely flammable spray
Extinguishing media: Foam, dry chemical, carbon dioxide, water
Special Fire fighting procedures: Use self-contained breathing apparatus.

Unusual Fire & Explosion Hazard: Slight when exposed to heat or flame. Combustible at high temperatures.

6 ACCIDENTAL RELEASE MEASURES

Stop flow, dike spill, eliminate all ignition sources. Absorb on inert material and scrape up.

7 HANDLING AND STORAGE

Handling Precautions: Avoid prolonged exposure to mist and vapors. Avoid flames, sparks, and hot surfaces. Keep containers closed.
Storage Requirements: Avoid prolonged exposure to mist and vapors. Avoid flames, sparks, and hot surfaces. Keep containers closed. Keep out of reach of children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: None required in excess to normal ventilation.
Protective Equipment: HMIS PP, B | Goggles, Gloves
Respiratory Protection: None required
Protective gloves: Neoprene or plastic
Eye protection: Safety glasses/ splash goggles
Exposure Guidelines/Other: Hygienic work practices: Do not work in oil soaked clothing. Wash after handling.



Super- G 85W 140

MSDS Number: L85B

Revision Date: 05/25/06

Page 3 of 4

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Green	Boiling Point:	> 450 Deg. F.
Physical State:	Liquid	Freezing/Melting Pt.:	NA
Odor:	Oil	Solubility:	Negligible
pH:	NA	Spec Grav./Density:	(H2O=1): 0.88
Vapor Pressure:	NA		
Vapor Density:	(Air=1): 12		
Heat Value:	NA		
VOC:	NA		
Evap. Rate:	NA		
Bulk Density:	NA		
Octanol:	NA		
Molecular Weight:	NA		
Particle Size:	NA		
Softening Point:	NA		
Viscosity:	NA		
Percent Volatile:	NA		
Sat. Vap. Concentrat.:	NA		
Molecular Formula:	NA		

10 STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	Oxidizing atmospheres
Materials to avoid (incompatibility):	Chlorine or oxygen
Hazardous Decomposition products:	Oxides of carbon
Hazardous Polymerization:	Will not occur

11 TOXICOLOGICAL INFORMATION

NA

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Dispose of according to local, state, or federal regulations.



Super- G 85W 140

MSDS Number: L85B

Revision Date: 05/25/06

Page 4 of 4

14 TRANSPORT INFORMATION

Proper Shipping Name: Petroleum Oils, Greases

15 REGULATORY INFORMATION

16 OTHER INFORMATION

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal data only
N/A = Not available N/D = Not determined

END OF MSDS DOCUMENT