

Swipe

MSDS Number: A225F

Revision Date: 01/04/12

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Distributed By: Wechem, Inc
5734 Susitna Dr
Harahan, LA 70123


Contact: Charito Kuylen
Phone: 504-733-1152
Fax: 504-733-2218
Web: www.wechem.com

Product Name: Swipe
Revision Date: 01/04/12
MSDS Number: A225F
Product Code: A225

2 HAZARDS IDENTIFICATION

Route of Entry: Ingestion, eye, inhalation, skin absorption
Target Organs: NA
Inhalation: Inhalation of mist can cause irritation of nasal and respiratory passages. Abusive or excessive inhalation can cause irritation of upper respiratory tract, dizziness, nausea and other central nervous system effects.
Skin: Frequent or prolonged contact may cause irritation.
Eye: May cause slight irritation, but does not injure eye tissue.
Ingestion: Can cause gastrointestinal irritation, nausea, vomiting, diarrhea. Aspiration of material into lungs can cause chemical pneumonitis. Minimal toxicity.

NFPA: Health = 1, Fire = 2, Reactivity = 0
HMIS III: H*1/F2/PH1



PERSONAL PROTECTION INDEX			
A		G	
B		H	
C		I	
D		J	
E		K	
F		X	Consult your supervisor or S.O.P. for "SPECIAL" handling directions
A		n	
n		O	
O		p	
p		q	
q		r	
r		S	
t		Additional Information	
u			
w			
y			
z			

Swipe

MSDS Number: A225F

Revision Date: 01/04/12

Page 2 of 4

3

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Chemical Name	Perc.	OSHA PEL (ppm)	ACGIH TLV(ppm)	Carcin. Ref.
68476868	Liquefied Petroleum Gas	1-10	1000	1000	D
111762	2-Butoxyethanol	0-5	50	20	D
6834920	Sodium Metasilicate	0-5	NA	NA	D

4

FIRST AID MEASURES

Inhalation:	Remove to fresh air. Resuscitate if necessary. Seek medical attention.
Skin Contact:	Wash with soap and water. If irritated seek medical attention.
Eye Contact:	Flush with water for 15 minutes. If irritated, seek medical attention.
Ingestion:	Do not induce vomiting. Get medical attention.

5

FIRE FIGHTING MEASURES

Flammability:	(Per CSMA Flame Projection Test): Non- flammable spray
Flash Point:	Conc: -156 Deg. F.
Flash Point Method:	NA
Burning Rate:	ND
Autoignition Temp:	ND
LEL:	ND
UEL:	ND

Extinguishing media: Foam, dry chemical, carbon dioxide

Special Fire fighting procedures: Use self-contained breathing apparatus and protective clothing. Cool fire-exposed containers to prevent rupturing.

Unusual Fire & Explosion Hazard: Exposure to temperature above 120 Deg. F. may cause bursting.

NFPA Code 30B Rating: Level 1 aerosol

6

ACCIDENTAL RELEASE MEASURES

Allow foam to dissipate and all propellant to evaporate. Maintain local exhaust and adequate ventilation. No smoking. Keep sparks, heat sources and open flame far away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Absorb with suitable medium. Clean contaminated surface thoroughly.

Swipe

MSDS Number: A225F

Revision Date: 01/04/12

Page 3 of 4

7 HANDLING AND STORAGE

Handling Precautions: Store in a cool, dry area, away from heat, sparks and sources of ignition. For industrial and institutional use only.

Storage Requirements: Store in a cool, dry area, away from heat, sparks and sources of ignition. Keep out of reach of children. Do not store at temperatures above 120 Deg F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: Local exhaust to keep TLV below acceptable limits.

Personal Protective Equip: HMIS PP, B | Goggles, Gloves
HMIS PP, A | Goggles
Respiratory Protection: None needed in accordance with label directions.
Protective gloves: Chemical resistant gloves if hand contact will be made.
Eye protection: Safety glasses /chemical proof goggles

Hygienic work practices: Wash with soap and water before handling food. Remove contaminated clothing.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	(Conc): Opaque liquid	Odor:	Lemon
Physical State:	Liquid	Molecular Formula:	NA
Particle Size:	NA	Solubility:	Complete
Spec Grav./Density:	(H2O=1): 1.027 @ 70 Deg. F.	Softening Point:	NA
Viscosity:	NA	Percent Volatile:	NA
Sat. Vap. Concentrat.:	NA	Heat Value:	NA
Boiling Point:	~ 212 Deg. F.	Freezing/Melting Pt.:	NA
Vapor Pressure:	(Can psig @ 70 Deg. F): 55	Octanol:	NA
pH:	12.8	Vapor Density:	(Air=1): > 1
Evap. Rate:	NA	VOC:	8.0 %
Molecular weight:	NA	Bulk Density:	NA

10 STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: Contact with strong oxidizing agents, heat

Materials to Avoid: Strong oxidizing agents

Hazardous Decomposition: Carbon monoxide, Carbon dioxide

Hazardous Polymerization: Will not occur

11 TOXICOLOGICAL INFORMATION

NA

Swipe

MSDS Number: A225F

Revision Date: 01/04/12

Page 4 of 4

12

ECOLOGICAL INFORMATION

NA

13

DISPOSAL CONSIDERATIONS

Contents under pressure. Do not allow this material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001

Dispose of according to local, state, or federal regulations.

14

TRANSPORT INFORMATION

Proper Shipping Name: Consumer Commodity, ORM-D

15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Ethylene glycol monobutyl ether (111762 0-5%) HAP, MASS, OSHAWAC, PA, TXAIR, SARA313

*Petroleum gases, liquefied, sweetened (68476868 1-10%) TSCA

*Sodium Metasilicate (6834920 0-5%) TSCA

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List

OSHA = OSHA workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TXAIR = TX Air Contaminants with Health Effects Screening Level

SARA313 = SARA 313 Title III Toxic Chemicals

HAP = Hazardous Air Pollutants

TSCA = Toxic Substances Control Act

16

OTHER INFORMATION

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC

Monograph [c] OSHA [d] Not listed [e] Animal data only

N/A = Not available

N/D = Not determined