

MSDS Material Safety Data Sheet

Wechem, Inc.



Thread Seal

MSDS Number: L100E

Revision Date: 07/14/09

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Distributed By: Wechem, Inc
5734 Susitna Dr

Harahan, LA 70123

Contact: Charito Kuylen
Telephone Number: 504-733-1152
FAX Number: 504-733-2218
E-Mail:
Web www.wechem.com

Product Name: Thread Seal
Revision Date: 07/14/09
MSDS Number: L100E
Product Code: L100

2 HAZARDS IDENTIFICATION

Route of Entry: Eye, skin absorption, ingestion
Target Organs: NA
Inhalation: NA
Skin Contact: Possible skin irritation. Prolonged contact not expected to cause irritation
Eye Contact: May cause irritation.
Ingestion: Can cause mouth, throat and stomach irritation, nausea, vomiting, diarrhea.

HMIS II-ratings (scale 0-4): Health = 1, Fire = 1, Reactivity = 0

HMIS® Rating H*1/F1/PH0

NFPA-ratings (scale 0-4): Health = 1, Fire = 1, Reactivity = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Chemical Name	Perc.	OSHA PEL (ppm)	ACGIH TLV(ppm)	Carcin. Ref.
-------	---------------	-------	-------------------	-------------------	-----------------

No toxic chemical(s) subject to the reporting requirements of Title III section 313, and of 40 CFR 372 are present.



Thread Seal

MSDS Number: L100E

Revision Date: 07/14/09

Page 2 of 4

4 FIRST AID MEASURES

Inhalation: NA
Skin Contact: Wash with soap and water. If irritated seek medical attention.
Eye Contact: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.
Ingestion: Do not induce vomiting. Drink a large glass of water or milk. Get immediate medical attention.

5 FIRE FIGHTING MEASURES

Flash Point: NA
Flash Point Method: NA
Burning Rate: ND
Autoignition Temperature: ND
LEL: ND
UEL: ND
Flammability Classification: Non flammable

Extinguishing media: Foam, dry chemical, carbon dioxide, water fog.

Special Fire fighting procedures: Do not use water; smother to exclude air. Handle as an oil fire, class B fire procedures. Use self-contained breathing apparatus and protective clothing.

Unusual Fire & Explosion Hazard: None known. Overexposure to decomposition products may cause a health hazard.

Symptoms may not be readily apparent. Obtain medical attention. Dense smoke may be generated while burning. Carbon monoxide, carbon dioxide, and other oxides may be generated as products of combustion.

6 ACCIDENTAL RELEASE MEASURES

Avoid breathing vapors. Ventilate area. Remove all sources of ignition. Clean up area with absorbent material and place in closed containers for disposal.

7 HANDLING AND STORAGE

Handling Precautions: Store in a cool, dry and well ventilated area away from heat, sparks, flames and other sources of ignition.

Storage Requirements: Store in a cool, dry area away from heat, sparks, flames and other sources of ignition. Keep out of reach of children.

Other precautions:

For industrial use only. Do not reuse empty containers without first having them commercially cleaned or reconditioned. Follow all MSDS/ Label precautions even after container is emptied.



Thread Seal

MSDS Number: L100E

Revision Date: 07/14/09

Page 3 of 4

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ventilation Requirement: Sufficient to prevent inhalation of vapors. General dilution and/or local exhaust ventilation in volume or pattern to keep PEL/TLV of most hazardous ingredient below acceptable limit and LEL below stated limit.

Protective Equipment: HMIS PP, B | Goggles, Gloves
Respiratory Protection: None required for proper use in accordance with label directions. Otherwise, use NIOSH/MSHA approved respirator.
Protective gloves: Rubber
Eye protection: Safety glasses/ goggles

Exposure Guidelines/Other: Hygienic work practices: Wash with soap and water before handling food.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off white, heavy paste	Boiling Point:	NA
Physical State:	Semi-solid	Freezing/Melting Pt.:	NA
Odor:	Slight petroleum	Solubility:	Nil
pH:	NA	Spec Grav./Density:	(H2O=1): 1.03
Vapor Pressure:	NA		
Vapor Density:	Heavier than air		
Heat Value:	NA		
VOC:	NA		
Evap. Rate:	Slower than Ether		
Bulk Density:	NA		
Octanol:	NA		
Molecular Weight:	NA		
Particle Size:	NA		
Softening Point:	NA		
Viscosity:	NA		
Percent Volatile:	NA		
Sat. Vap. Concentrat.:	NA		
Molecular Formula:	NA		

10 STABILITY AND REACTIVITY

Stability: Stable

Conditions to avoid: Prolonged exposure to heat

Materials to avoid (incompatibility): NA

Hazardous Decomposition products: May produce fumes when heated to decomposition. Fumes contain carbon monoxide and other toxic fumes.

Hazardous Polymerization: Will not occur

11 TOXICOLOGICAL INFORMATION

NA



Thread Seal

MSDS Number: L100E

Revision Date: 07/14/09

Page 4 of 4

12 ECOLOGICAL INFORMATION

NA

13 DISPOSAL CONSIDERATIONS

Dispose of according to local, state, or federal regulations.

14 TRANSPORT INFORMATION

Proper Shipping Name: Not Regulated

15 REGULATORY INFORMATION

NA

16 OTHER INFORMATION

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal data only
N/A = Not available N/D = Not determined

END OF MSDS DOCUMENT